



Stop buying water,  
start making it.

WHAT

## Pure water *from thin air*

Our atmospheric water generators draw moisture directly from the humidity in the air — condensing, filtering, and delivering cold clean drinking water. No pipes. No bottles. No infrastructure. Just electricity and the air you breathe.

WHY

## The world's water *is under pressure*

**\$350B+**   **2.2B**   **13.000 km<sup>3</sup>**   **0**

Spent on bottled water annually, and increasing   People without clean drinking water   Water vapour in the atmosphere at any given moment   Pipelines needed to harvest air water

WHO

### RESIDENTIAL Home & Villa

Done with bottles and plastics. Pure water on tap — every day, no more deliveries needed.

### HOSPITALITY Resort & Spa

Keep guests hydrated with no logistics, no deliveries, no dependency. Next level purity and a true differentiator.

### OFF-GRID Remote & Off-Grid

No pipes, no grid required. Works anywhere there is air and power.

### AND MANY OTHERS... Your Situation

If there's air and power, we can help. Tell us your situation — we'll find the right fit.

Anyone who values clean water *and wants control over it*

RESIDENTIAL

# AWG Series

Countertop & Floor-Standing Models · Up to 20 Litres/Day

RESIDENTIAL

## AFA-AWG12L

Countertop Model

MAX DAILY OUTPUT

**12L / 24h**

HOT & COLD  
DISPENSER



Power Supply      220V / 50Hz / 1 Phase (or 110V / 60hz)

Power Input      370W (Production) + 500W (Heating)

Noise Level      ≤ 45 dB(A)

Water Tank      7.5L (tank) + 1L (bottom)

Filtration      Air + PP + UF + SOFT + Post Carbon + UV

Working Temp      15°C – 40°C

Humidity Range      30% – 100%

Machine Dim.      531 × 307 × 579 mm

Machine Weight      29 kg

*Best for: Apartments & small families*

RESIDENTIAL

## AFA-AWG20L

Floor-Standing Model

MAX DAILY OUTPUT

**20L / 24h**

HOT & COLD  
DISPENSER



Power Supply      220V / 50Hz / 1 Phase (or 110V / 60Hz)

Cooling Power      470W (Production) + 500W (Heating)

Noise Level      ≤ 45 dB(A)

Water Tank      12L (top) + 1.5L + 2L (cold) + 1.5L (hot)

Filtration      Air + UF + GAC + PP + ELE + BIO + UV×2

Working Temp      15°C – 40°C

Humidity Range      25% or higher

Machine Dim.      375 × 307 × 1154 mm

Machine Weight      42 kg

*Best for: Family homes & villas*